



GenTechTM
IT Solutions Corporation

PRODUCT

CATALOGUE





alhua
TECHNOLOGY
**STARLIGHT
CCTV KIT 1**



Php 6,500



HAC-HDW1230SL
2MP Starlight HDCVI IR Eyeball Camera

- > Starlight
- > Max. 30fps@1080P
- > HD and SD output switchable- 3.6mm fixed lens (2.8mm, 6mm optional)
- > Max. IR length 20m, Smart IR
- > IP67, DC12V

HAC-HFW1230SL
2MP Starlight HDCVI IR Bullet Camera

- > Starlight
- > Max. 30fps@1080P
- > HD and SD output switchable
- > 3.6mm fixed lens (2.8mm, 6mm optional)
- > Max. IR length 30m, Smart IR
- > IP67, DC12V



XVR4104-S2
4Channel Penta-brid 720P Compact 1U Digital Video Recorder

- > Embedded processor
- > H.264 video compression
- > Support HDCVI/AHD/TVI/CVBS/IP video inputs
- > Max 5/10/18 channels IP camera inputs
- > Long transmission distance over coax cable
- > Support 1 SATA HDD, up to 8TB



alhua
TECHNOLOGY
**STARLIGHT
CCTV KIT 2**



Php 8,150



HAC-HDW1230SL
2MP Starlight HDCVI IR Eyeball Camera

- > Starlight
- > Max. 30fps@1080P
- > HD and SD output switchable- 3.6mm fixed lens (2.8mm, 6mm optional)
- > Max. IR length 20m, Smart IR
- > IP67, DC12V

HAC-HFW1230SL
2MP Starlight HDCVI IR Bullet Camera

- > Starlight
- > Max. 30fps@1080P
- > HD and SD output switchable
- > 3.6mm fixed lens (2.8mm, 6mm optional)
- > Max. IR length 30m, Smart IR
- > IP67, DC12V



XVR4104-S2
4Channel Penta-brid 720P Compact 1U Digital Video Recorder

- > Embedded processor
- > H.264 video compression
- > Support HDCVI/AHD/TVI/CVBS/IP video inputs
- > Max 5/10/18 channels IP camera inputs
- > Long transmission distance over coax cable
- > Support 1 SATA HDD, up to 8TB



alhua
TECHNOLOGY
**STARLIGHT
CCTV KIT 3**



Php 11,050



HAC-HDW1230SL
2MP Starlight HDCVI IR Eyeball Camera

- > Starlight
- > Max. 30fps@1080P
- > HD and SD output switchable- 3.6mm fixed lens (2.8mm, 6mm optional)
- > Max. IR length 20m, Smart IR
- > IP67, DC12V

HAC-HFW1230SL
2MP Starlight HDCVI IR Bullet Camera

- > Starlight
- > Max. 30fps@1080P
- > HD and SD output switchable
- > 3.6mm fixed lens (2.8mm, 6mm optional)
- > Max. IR length 30m, Smart IR
- > IP67, DC12V



XVR4108HS-X
8 Channel Penta-brid 720P Compact 1U Digital Video Recorder

- > H.265 video compression
- > Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- > Max 10 channels IP camera inputs, each channel up to 6MP; Max 40Mbps Incoming Bandwidth
- > Long transmission distance over coax cable
- > Supports 1 SATA HDD, up to 10TB



alhua
TECHNOLOGY
**STARLIGHT
CCTV KIT 4**



Php 12,650



HAC-HDW1230SL
2MP Starlight HDCVI IR Eyeball Camera

- > Starlight
- > Max. 30fps@1080P
- > HD and SD output switchable- 3.6mm fixed lens (2.8mm, 6mm optional)
- > Max. IR length 20m, Smart IR
- > IP67, DC12V

HAC-HFW1230SL
2MP Starlight HDCVI IR Bullet Camera

- > Starlight
- > Max. 30fps@1080P
- > HD and SD output switchable
- > 3.6mm fixed lens (2.8mm, 6mm optional)
- > Max. IR length 30m, Smart IR
- > IP67, DC12V



XVR4108HS-X
8 Channel Penta-brid 720P Compact 1U Digital Video Recorder

- > H.265 video compression
- > Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- > Max 10 channels IP camera inputs, each channel up to 6MP; Max 40Mbps Incoming Bandwidth
- > Long transmission distance over coax cable
- > Supports 1 SATA HDD, up to 10TB